

SAFETY DATA SHEET - SDS VERSION 1.0, 16<sup>TH</sup> JULY 2020.

### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

PRODUCT NAME: Ultra Pro

CAS NUMBER: OTHER NAMES:

RECOMMENDED USE: Sanitising and protecting hard surfaces.

SUPPLIER NAME: Clear Facilities

ADDRESS: Unit 18/930 Great South Road, Penrose, Auckland 1061

WEBSITE: www.clearfacilities.co.nz

Phone: 0800 399 3785

Emergency Telephone: Australia: 131126 (POISONS INFORMATION CENTRE)

New Zealand: 0800 764 766 (NZ NATIONAL POISON CENTRE)

#### 2. HAZARD IDENTIFICATION

HAZARD CLASSIFICATION: **NOT HAZARDOUS** according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS)

Hazard statement: NONE

HSNO classes: NONE

Hazard statement codes: NONE

Prevention statements: NONE

Response statement codes: NONE

Disposal statement codes:

P501 Dispose of product and packaging in accordance with local regulations.

HAZARD CATEGORY (GHS): NONE

The information contained in this SDS is specific to the product when handled and used neat. This product when diluted/mixed may not require the same control measures as the neat product. Check with your technical representative if in doubt.

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

The ingredients below are considered either hazardous, dangerous goods or poison scheduled according to the criteria of SWA, AUG Code and SUSDP (respectively) at the levels used in the product.

INGREDIENT CAS No. PROPORTION (% w/w)

**NONE** 

### 4. FIRST AID MEASURES (General)

INGESTION: Rinse mouth out with water. Do NOT induce vomiting.

EYE CONTACT: Flush with water for several minutes. Remove contact lenses. Rinse for another 15 minutes.

SKIN CONTACT: Wash hands thoroughly after handling.

INHALATION: Remove from source of exposure to fresh air.

Product Name: CLEAR PROTECT ULTRA PRO SDS version 1.0

Page 1 of 4



### 5. FIRE FIGHTING METHODS (General)

GENERAL MEASURES: Clear fire area of all non-emergency personnel. Stay upwind. Eliminate ignition sources. Move

fire exposed containers from fire area if it can be done without risk.

EXTINGUISHING MEDIA: Carbon dioxide, dry chemical, foam. FLAMMABILITY CONDITIONS: This product is not flammable.

FIRE FIGHTING INSTRUCTIONS: Clear fire area of all non-emergency personnel. Stay upwind. Keep out of low areas. Eliminate

ignition sources. Move fire exposed containers from fire area if it can be done without risk. Do NOT let fire fighting water reach waterways, drains or sewers, but store it for treatment.

HAZARDOUS PRODUCTS OF COMBUSTION: Packaging material may burn to emit noxious fumes.

PERSONAL PROTECTIVE EQUIPMENT: Wear standard protective firefighting clothing (Helmet, coat, pants, boots, gloves, mask)

HAZCHEM CODE: NONE

### **6. ACCIDENTAL RELEASE MEASURES**

GENERAL PROCEDURE: Shut off all possible sources of ignition. Avoid walking through spilled product as it may be

slippery when spilt.

CLEAN UP PROCEDURES: Flush spills with plenty of water. CONTAINMENT: Stop leak if safe to do so.

ENVIRONMENTAL PRECAUTIONS: Clear fire area of all non-emergency personnel. Eliminate ignition sources. Move fire exposed

containers from fire area if it can be done without risk.

EVACUATION CRITERIA: Evacuate all unnecessary personnel.

PERSONAL PRECAUTIONS: Fire fighters should wear self-contained breathing apparatus and protective fire fighting cloth-

ing (includes fire fighting helmet, coat, trousers, boots and gloves).

### 7. HANDLING AND STORAGE (General)

HANDLING: Ensure an eye bath and safety shower are available and ready for use. Observe good personal

hygiene practices and recommended procedures. Wash thoroughly after handling. Avoid con-

tact with eyes.

STORAGE: Ensure containers are adequately labelled, protected from physical damage and sealed when

not in use. Check regularly for leaks or spills.

CONTAINER: Store in original packaging as approved by manufacturer.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE STANDARD: No information available.

EXPOSURE LIMITS: No information available.

BIOLOGICAL LIMITS: No information available.

ENGINEERING MEASURES: Keep an eye-bath on hand.

PERSONAL PROTECTION EQUIPMENT: Glasses or goggles. HANDS: Nitrile or neoprene gloves.

WORK HYGIENIC PRACTICES: No information available.

### 9. PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE: Clear, colourless, liquid.

ODOUR: None. pH: 5.5 - 6.5

SPECIFIC GRAVITY:

BOILING POINT:

FLASH POINT:

EXPLOSION LIMITS:

EVAPORATION RATE:

No information available.

No information available.

No information available.

FLAMMABILITY: Not flammable.

VAPOUR PRESSURE: No information available.
VAPOUR DENSITY: No information available.
DENSITY: No information available.
RELATIVE DENSITY: No information available.
AUTO IGNITION TEMPERATURE: No information available.

SOLUBILITY IN WATER: Complete

SHELF LIFE: 2 years from date of manufacture (when stored as directed).

Product Name: CLEAR PROTECT ULTRA PRO SDS version 1.0



### 10. STABILITY AND REACTIVITY

GENERAL INFORMATION: No information available.

CHEMICAL STABILITY: Product is stable under normal conditions of use, storage and temperature.

CONDITIONS TO AVOID: Avoid flames and high energy ignition sources.

MATERIALS TO AVOID: None known.

HAZARDOUS DECOMPOSITION: Packaging may evolve toxic gases when burning.

HAZARDOUS POLYMERISATION: Hazardous Polymerisation will not occur.

#### 11. TOXICOLOGICAL INFORMATION

GENERAL INFORMATION: No known hazards.

LD<sub>50</sub> (Ingestion): Unknown

EYE IRRITANT: May cause temporary irritation and redness.

SKIN IRRITANT: Prolonged contact may cause mild, transient irritation. Wash off with water.

INGESTION: Ingestion may result in temporary nausea, vomiting, abdominal pain and diarrhoea.

INHALATION: None known.

### 12. ECOLOGICAL INFORMATION

FISH  $LC_{50}$ : No information available. INVERTEBRATE  $EC_{50}$ : No information available. PERSISTENCE/DEGRADABILITY: No information available. MOBILITY: No information available. ENVIRONMENTAL FATE: No information available. BIOACCUMULATION POTENTIAL: No information available. ENVIRONMENTAL IMPACT: No information available.

### 13. DISPOSAL CONSIDERATIONS

DISPOSAL METHODS: Dispose of in accordance with all local, state and federal regulations. All empty packaging should

be disposed of in accordance with Local, State, and Federal Regulations or recycled/recondi-

Page 3 of 4

tioned at an approved facility.

LANDFILLS: Contact a specialist disposal company or the local waste regulator for advice.

# 14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT: NOT Classified as DANGEROUS GOODS by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail.

MARINE TRANSPORT: NOT Classified as DANGEROUS GOODS by the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

AIR TRANSPORT: Not Classified as DANGEROUS GOODS by International Air Transport Association (IATA) for transport by air.

# **15. REGULATORY INFORMATION**

COUNTRY/ REGION: New Zealand

STATUS: Classified as Hazardous according to the Hazardous Substances (Minimum Degrees of Hazard)

Regulations 2001, New Zealand.

POISONS SCHEDULE (AUS): Not scheduled.
APVMA/AQIS/TGA STATUS: Not relevant.

HAZARD CLASSIFICATIONS: NONE

GROUP STANDARD: No hazards triggered.

### **16. OTHER INFORMATION**

SDS ISSUE NUMBER: 001

SDS ISSUE DATE: 16/07/2020
REASON(S) FOR ISSUE: New product.
THIS ISSUE NUMBER REPLACES ALL PREVIOUS ISSUES

In any event, the review and, if necessary, the re-issue of a SDS shall be no longer than 5 years after the last date of issue.

Product Name: CLEAR PROTECT ULTRA PRO SDS version 1.0



### **LEGEND:**

AICS Australian Inventory of Chemical Substances

APVMA Australian Pesticides and Veterinary Medicines Authority

AQIS Australian Quarantine and Inspection Service

AS Australian Standard (as issued by Standards Australia)

SDS Safety Data Sheet

NOHSC National Occupational Health and Safety Commission

STEL Short Term Exposure Limit. A 15-min TWA exposure, not to be exceeded at any time during a

working day, even if the 8-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not exceed 15-min and should not be repeated more than 4 times per day.

There should be at least 60-min between successive exposures at the STEL.

TGA Therapeutic Goods Administration

TLV Threshold Limit Value. TLV is a proprietary name registered by the American Conference of

Governmental Industrial Hygienists (ACGIH) and refers to airborne concentrations of substances or levels of physical agents to which it is believed that nearly all workers may be repeatedly

exposed day after day without adverse effect.

TWA Time Weighted Average. The average airborne concentration of a particular substance when

calculated over a normal eight-hour working day, for a five-day working week.

This SDS has been prepared from current technical data and summarises at the date of issue our best knowledge of the health and safety information of the product and in particular how to safely handle and use the product in the workplace. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company. Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request. This SDS may only be reproduced in full. Summaries or excerpts from this SDS may not contain all the relevant information and thus are not permitted.

**End of SDS** 

Product Name: CLEAR PROTECT ULTRA PRO SDS version 1.0